

Certificate TH20/13423

This is to certify that

# Visy Packaging (Thailand) Ltd.

500/54 Moo 3, T. Tasit, A. Pluakdaeng,  
Rayong, 21140, Thailand  
BRC SITE CODE 1726901

has been assessed and certified as meeting the requirements of

## Global Standard for Packaging Materials

Issue 6: August 2019

Achieved Grade A

Audit Programme : Announced

For the following activities

**Multi-layer oxygen barrier PP and PS (co-extrusion sheet), multi-layer oxygen barrier PP (extrusion blow moulding jar, thermoforming cup) and injection moulding of PP lids for food packaging (Subcontractor of multi-layer oxygen barrier PP thermoforming of cup and injection moulding of PP lids).**

Categories: 4

Exclusions from scope: None

Date of Evaluation 04 June 2020

Certificate Issue Date 27 July 2020

Re-Evaluation Due Date: From 07 May 2021 to 04 June 2021

Certificate Expiry Date 16 July 2021

This certificate supersedes all other certificates bearing this certificate number with earlier certificate issue dates. If you would like to feedback comments on the BRC Global Standard or the audit process directly to BRC, please contact [tellus@brcglobalstandards.com](mailto:tellus@brcglobalstandards.com)

Visit the BRC Directory [www.brcdirectory.com](http://www.brcdirectory.com) to validate certificate authenticity

Authorised by

This certificate remains the property of  
SGS United Kingdom Ltd  
Rossmore Business Park Ellesmere Port Cheshire CH65 3EN UK  
t +44 (0)151 350-6666 f +44 (0)151 350-6600 [www.sgs.com](http://www.sgs.com)

HC SGS BRC PACKAGING issue 6 0220

Page 1 of 1



AUDITOR NUMBER  
176367



0005

